MODERN KNITTING

JAN./FEB. 1964 3/6D THE MONTHLY MAGAZINE FOR MACHINE KNITTERS

★

18

EXCITING

NEW

DESIGNS

GIRL'S JUMPER SUIT

LARGE WOMAN'S BED JACKET

LADY'S TRAVEL COAT

DOUBLE BED PATTERNS

★

A Knitmaster PUBLICATION

Second-best won't do

Why do so many hospitals and baby clinics advise soapflakes for your baby's clothes? The answer's that soap is *safest.* Washing powders contain harsh chemicals which can affect a baby's tender skin. Lux does not—it is made from baby-mild soap with *no* harsh chemicals. That's why Lux washes softer, *and* safer.

Your baby needs the best care—LUX care

LUX

LX 1619-10

A *LEVER* PRODUCT

This month

CONTENTS

Page	**SINGLE BED PATTERNS**
4–5	Lady's ¾-length travel coat in chunky waffle stitch
6–7	Boy's 3-ply raglan sweater and sleeveless pullover
10–11	Man's continental-style buttoned jacket with collar
12–13	Girl's 4-ply jumper suit with flared skirt
14–15	Large woman's 3-ply bed jacket with dolman sleeves
16–17	Two easy-to-knit matinée jackets for boy and girl
20–22	Lady's long-sleeved dress and patterned overblouse
26–27	Child's Double Knitting sweater with Fair Isle band
Cover:	Instructions for the Cover Sweater are on pages 8 and 9
	DOUBLE BED PATTERNS
28–29	Lady's 4-ply vee and golfer cardigans
30–31	Children's 2-ply vests and pants
	SPECIAL FEATURES
18–19	Fashion
25	New Twinmatic leaflets
34	Wool manufacturers

. . next month

"Mother and daughter" polo-neck dresses in Double Crepe and 4-ply, boys' and men's short-sleeved vests, a little boy's sailor suit and, for babies, a carrying cape and matching shawl plus many other attractive and practical designs including many of your requests.

From your Editor's Chair

FIRST of all, may I, on behalf of the entire staff of Modern Knitting, take this opportunity of wishing you all a very Happy New Year and many enjoyable hours of machine knitting in 1964.

Secondly, I have exciting news about Modern Knitting itself. As from the March issue, the magazine will sport an entirely redesigned front cover to give it a larger and more up-to-the minute look which I am sure you will all find far more attractive and eye-catching.

Thirdly, following my announcement in the October issue about a course for machine knitters in Bootle, I have further news of classes for Single and Double Bed machine knitters in the Liverpool area. Birkenhead Education Authority runs day and evening classes at The Craft Centre, Whetstone Lane and the Liverpool Education Authority have about ten classes each session at The Mable Fletcher Technical College. I understand that the Liverpool Education Authority pioneered machine knitting in the Further Education field and knitters who have attended the classes are noted for the quality of the work produced on their machines. Let's hope other education authorities will soon recognise the need for this type of instruction and follow their example!

Mrs. Threadingham in Hull is well aware of the need and you may remember me mentioning in last May's issue that she was interested in forming a Knitmaster Club. I am delighted to be able to tell you that not only did she do this but all twelve members are now so proficient with their machines, due to her expert tuition, that she feels they no longer need her help and would now like to start another 'beginners course.' So, if you live in that area and have any problems at all with your knitting machine, do contact her at 155 Newland Park, Hull, Yorkshire, Tel.: Hull 43344; I know Mrs. Threadingham will be only too pleased to help you.

For Knitmasters with 203 Needles only.

MATERIALS: 30 oz. Robin Conella Double Knitting wool in main colour; one-2 oz. ball Robin Rhythm Chunky Knit wool in contrasting colour (white); ¼ yd. 36-inch wide facing material in main colour; 6 buttons.

MEASUREMENTS: To fit a 33 to 35 inch bust (actual garment measures 39 inches); completed length at centre back without collar, 30 inches; sleeve seam without cuff, 14½ inches (adjustable).

TENSION: 13½ actual stitches and 53 rows to 4 inches, measured over pattern on every 3rd Needle.

ABBREVIATIONS: W.P., Working Position; N.W.P., Non-Working Position; H.P., Holding Position; M, main colour; C, contrasting colour.

Bon Voyage!

This threequarter-length travel coat in a chunky waffle stitch will take you anywhere

NOTES: Do not count Needles in N.W.P. as stitches. When casting-off or decreasing, always work 1 chain in spaces where Needles are in N.W.P.
When increasing, increase on every 3rd Needle.
The purl side is used as the right side.

BACK
Using M, cast on 68 stitches on every 3rd Needle. Change to Tension 3 and knit 4 rows. Set Row Counter at 0.
Change to Tension 5 and work in pattern as follows:—
Always counting from the left, push the 2nd and every following alternate Needle from W.P. into H.P., knit 2 rows. Push Needles from H.P. back into W.P. Push the 1st and every following alternate Needle from W.P. into H.P.; taking wool round end Needle in H.P., knit 2 rows. Push Needles from H.P. back into W.P. The last 4 rows, from * to *, form 1 complete pattern which should be repeated throughout. Knit 294 more rows in pattern without shaping (298 rows from 0).
Shape armholes. Keeping pattern correct, cast off 4 stitches at beginning of next 2 rows; knit 2 rows. Decrease 1 stitch at beginning of the next 2 rows and every following 3rd and 4th rows 5 times altogether (50 stitches remain). Knit 72 rows without shaping (392 rows from 0).
Shape shoulders. Keeping pattern correct, cast off 6 stitches at beginning of next 2 rows and 5 stitches at beginning of next 4 rows. Cast off remaining 18 stitches.

LEFT FRONT
Using M, cast on 45 stitches on every 3rd Needle. Change to Tension 3 and knit 4 rows. (Knit 1 row extra for Right Front only.) Set Row Counter at 0. Change to Tension 5 and, working in pattern as given for Back from * to *, knit 298 rows without shaping. (Cam Box is at right.)
Shape armhole. Keeping pattern correct, cast off 4 stitches at beginning of next row; knit 3 rows. Decrease 1 stitch at beginning of the next and every following 4th row 5 times altogether (36 stitches remain). Knit 54 rows without shaping (373 rows from 0). (Cam Box is at left.)
Shape neck. Keeping pattern correct, cast off 10 stitches at beginning of next row. Mark the left edge with different wool. Knit 1 row. Decrease 1 stitch at beginning of the next and every following alternate row 10 times altogether (16 stitches remain and 394 rows from 0).
Shape shoulder. Keeping pattern correct, cast off 6 stitches at beginning of next row; knit 1 row. Cast off 5 stitches at beginning of next row; knit 1 row. Cast off remaining 5 stitches.

RIGHT FRONT
Follow instructions for Left Front but reverse the shapings by noting alteration in number of rows worked and reading right for left and vice versa and making buttonholes over Needles 5, 6 and 7 from the right edge on the following rows from 0:—116, 200 and 284.

SLEEVES
Using M, cast on 40 stitches on every 3rd Needle. Change to Tension 3 and knit 2 rows. (Knit 1 row extra for second Sleeve only.) Set Row Counter at 0. Change to Tension 5 and, working in pattern as given for Back from * to *, knit 18 rows without shaping. Increase 1 stitch at beginning of the next 2 rows and every following 19th and 20th rows 8 times altogether (56 stitches). Knit 32 rows without shaping (192 rows from 0). (Adjust length at this stage, if desired, by a number of rows divisible by 4.) (Cam Box is at right.)
Shape top. Keeping pattern correct, cast off 4 stitches at beginning of next 2 rows. Decrease 1 stitch at beginning of the next and following alternate row; knit 1 row. Decrease 1 stitch at beginning of the next 2 rows and every following 5th and 6th rows 6 times altogether; knit 2 rows. Decrease 1 stitch at beginning of the next 2 rows and following 3rd and 4th rows; knit 2 rows. Decrease 1 stitch at beginning of next 6 rows. Cast off 2 stitches at beginning of 2 rows and 5 stitches at beginning of next 2 rows. Cast off remaining 10 stitches.
Knit the second Sleeve as for first Sleeve but reverse the shapings by noting alteration in number of rows worked and reading left for right.

Continued on page 23

"Stick 'em

Sleeveless pullover: For Knitmasters with 135 Needles or more.
Raglan sweater: First 4 sizes for Knitmasters with 135 Needles or more; largest size for Knitmasters with 168 Needles or more.

MATERIALS: Sleeveless pullover: 4 (4, 5, 5, 6) oz. Poppleton's Nevada 4-ply wool; stitch holder.
Raglan sweater: 6 (7, 8, 9, 9) oz. Poppleton's Nevada 4-ply wool; stitch holder.

MEASUREMENTS: Sleeveless pullover: To fit a 24 (26, 28, 30, 32) inch chest (actual garment measures 25 (27, 29, 31, 33) inches); length at centre back without neckband, 14 (15½, 17, 18½, 20) inches (adjustable). **Raglan sweater:** To fit a 24 (26, 28, 30, 32) inch chest (actual garment measures, 27 (29, 31, 33, 35) inches); length at centre back without neckband, 15 (16½, 18, 19½, 21) inches (adjustable); sleeve seam, 10½ (12, 13½, 15, 16½) inches (adjustable).

TENSION: 16 stitches and 22 rows to 2 inches, measured over cable pattern.

ABBREVIATIONS: W.P., Working Position; N.W.P., Non-Working Position.

up!"

Play safe and knit him both of these cabled pullovers in time for the really cold weather

NOTES: Figures in brackets refer to the larger sizes respectively.
Count spaces where Needles are in N.W.P. as stitches throughout.
When decreasing or increasing, if an N.W.P. Needle becomes the end Needle, push this Needle into W.P. and continue until a further stitch is to be decreased or increased, then move this stitch 1 Needle inwards or outwards.

SLEEVELESS PULLOVER

BACK

Cast on 101 (109, 117, 125, 133) stitches. Change to Tension 4 and knit 16 rows. Drop every alternate stitch and pick up as for ribbing. Change to Tension 6 and increase 1 stitch at right edge (102 (110, 118, 126, 134) stitches).
Now arrange stitches for cable panels as follows:— Counting from both edges, transfer stitches 7, 12, 21, 26, 35, 40 and 49 (2, 11, 16, 25, 30, 39, 44 and 53; 6, 15, 20, 29, 34, 43, 48 and 57; 5, 10, 19, 24, 33, 38, 47, 52 and 61; 9, 14, 23, 28, 37, 42, 51, 56 and 65) on to their adjacent Needles and push empty Needles into N.W.P. *but count them as stitches throughout.* *Knit 6 rows without shaping. Using Double Transfer tools, cross stitches 8 and 9 with stitches 10 and 11 (12 and 13 with stitches 14 and 15; 2 and 3 with stitches 4 and 5; 6 and 7 with stitches 8 and 9; 10 and 11 with stitches 12 and 13) and every following 11th and 12th stitches with the 13th and 14th stitches 7 (7, 9, 9, 9) times altogether. Knit 10 rows without shaping. Make cables over the same Needles as before.* The last 16 rows, from * to *, form 1 complete cable pattern which should be repeated throughout.**
Knit 54 (64, 74, 86, 98) more rows in cable pattern without shaping (86 (96, 106, 118, 130) rows from beginning of ribbing). (Adjust length at this stage, if desired.)
Shape armholes. Keeping cable pattern correct, cast

Continued on page 23

Bold



as Brass in design

—snuggle soft in texture

For Knitmasters with 168 Needles or more.

MATERIALS: 14 (14, 15) oz. Listers Can Can in main colour; 8 (9, 9) oz. Listers Can Can in first contrasting colour; small amount Listers Can Can in second contrasting colour for embroidery; 1 stitch holder; 1½ yds. 1-inch wide bias binding.

MEASUREMENTS: To fit a 32 (34, 36) inch bust (actual garment measures 36 (38, 40) inches); completed length from shoulder, 24 (24½, 25) inches (adjustable); sleeve seam, 17½ inches (adjustable).

TENSION: 8 stitches and 11 rows to 2 inches, measured over stocking stitch *on every 3rd Needle only.*

ABBREVIATIONS: W.P., Working Position; H.P., Holding Position; M, main colour; C1, first contrasting colour; C2, second contrasting colour.

NOTES: Figures in brackets refer to the larger sizes respectively.
It will be necessary to give each piece a good downwards tug after it comes off the machine.

BACK (3 pieces)
Left piece. Using M, cast on 24 (25, 26) stitches *on every 3rd Needle only.* Change to Tension 8 and knit 90 (90, 92) rows without shaping. (Knit 1 row extra for right piece only.) (Adjust length at this stage, if desired.) (Cam Box is at right.)
Shape raglan armhole. Cast off 3 stitches at beginning of next row; knit 1 row. Decrease 1 stitch at beginning of the next and every following alternate row 20 (21, 22) times altogether. Knit 1 row for left piece only. Fasten off remaining stitch.
Right piece. Follow instructions for left piece but reverse the shaping by noting alterations in number of rows worked.
Centre piece. Using C1, cast on 27 (29, 31) stitches *on every 3rd Needle only.* Change to Tension 8 and knit 128 (130, 134) rows without shaping. (Adjust length as on side pieces, if desired.)
Shape neck. Push 19 (21, 23) Needles opposite Cam Box end into H.P. Always taking wool round the first inside Needle in H.P., knit 2 rows. Push 4 more Needles opposite Cam Box end into H.P. on the next row; knit 1 row. Push all Needles into H.P., break off wool and take Cam Box to left of Needle Bed. Push 8 Needles at left from H.P. back into W.P., join in wool and knit 2 rows. Push 4 more Needles opposite Cam Box end into H.P. on the next row; knit 1 row. Push all Needles from H.P. back into W.P., knit 1 row. Cast off tightly.

FRONT (3 pieces)
Right piece. Follow instructions for left piece of Back.
Left piece. Follow instructions for right piece of Back.
Centre piece. Using C1, cast on 27 (29, 31) stitches *on every 3rd Needle only.* Change to Tension 8 and knit 120 (122, 126) rows without shaping. (Adjust length as on side pieces, if desired.)
Shape neck. Push 19 (21, 23) Needles opposite Cam Box end into H.P. Always taking wool round the first inside Needle in H.P., knit 2 rows. Push 2 more Needles opposite Cam Box end into H.P. on the next and following alternate row; knit 1 row. Push 1 more Needle opposite Cam Box end into H.P. on the next and every following alternate row 3 times altogether; knit 1 row. Push all Needles into H.P., break off wool and take Cam Box to left of Needle Bed. Push 8 Needles at left from H.P. back into W.P., join in wool and, always taking wool round the first inside Needle in H.P., knit 2 rows. Push 2 more Needles opposite Cam Box end into H.P. on the next and following alternate row; knit 1 row. Push 1 more Needle opposite Cam Box end into H.P. on the next and every following alternate row 3 times altogether; knit 1 row. Push all Needles from H.P. back into W.P., knit 1 row. Cast off tightly.

SLEEVES (both alike)
Using M, cast on 30 (32, 34) stitches *on every 3rd Needle only.* Change to Tension 8 and knit 6 rows. Increase 1 stitch at beginning of the next 2 rows and every following 7th and 8th rows 11 times altogether (52 (54, 56) stitches). Knit 8 rows without shaping. (Adjust length at this stage, if desired.)
Shape raglan top. Cast off 3 stitches at beginning of next 2 rows and decrease 1 stitch at beginning of next 40 (42, 44) rows. Cast off remaining 6 stitches tightly.

COLLAR
Using C, cast on 25 stitches *on every 3rd Needle only.* Change to Tension 8 and knit 2 rows. *Always taking wool round the first inside Needle in H.P., push 8 Needles opposite Cam Box end into H.P. on the next and following alternate row; knit 1 row. Push all Needles opposite Cam Box end from H.P. back into W.P.; knit 4 rows.* Repeat the last 8 rows, from * to *, 25 (26, 27) more times, omitting the last 2 rows of the last repeat. Slip stitches on to a stitch holder and graft to loops along cast-on edge.

TO MAKE UP
Neatly join the 3 pieces of back and front together, taking ½ stitch into each seam. Pin out each piece to size and press *very* lightly on the wrong side with a cool iron over a damp cloth. Join the raglan, side and sleeve seams and press. Flat-stitch collar into position, with graft at centre back; press. Pin under 3 stitches along outer edge of collar and secure with embroidery as shown, working 2 rows in C2 picking up every 4th bar between stitches and 1 row in M between these 2 rows, picking up every 3rd and 4th stitch. Work embroidery on front and back to match collar as shown, using C2 and M on C1 and C2 and C1 on M. Face the lower and sleeve edges with bias binding, pulling in as required. Give final pressing.

Give him the

Continental Look

with an ultra-modern jacket for go-ahead young men

First 3 sizes for Knitmasters with 135 Needles or more; remaining sizes for Knitmasters with 168 Needles or more.

MATERIALS: 23 (23, 24, 25, 25, 26, 27) oz. Robin Gleneagle Tweed Double Knitting wool; 6 buttons.

MEASUREMENTS: To fit a 36 (38, 40, 42, 44, 46, 48) inch chest (actual garment measures 40 (42, 44, 46, 48, 50, 52) inches); length at centre back without collar, 25¾ (26, 26¼, 26½, 26¾, 27, 27¼) inches; sleeve seam, 17½ (17¾, 18, 18¼, 18½, 18¾, 19) inches (adjustable).

TENSION: 6 stitches and 8 rows to 1 inch.

NOTE: Figures in brackets refer to the larger sizes respectively.

BACK
Cast on 121 (127, 133, 139, 145, 151, 157) stitches. Change to Tension 7 and knit 16 rows. Drop every alternate stitch and pick up as for ribbing. Change to Tension 9 and increase 1 stitch at right edge (122 (128, 134, 140, 146, 152, 158) stitches). Knit 118 rows without shaping.
Shape armholes. Cast off 4 (5, 5, 5, 6, 6, 6) stitches at beginning of next 2 rows, 2 (2, 3, 3, 3, 3, 4) stitches at beginning of next 2 rows, 2 (2, 2, 2, 2, 3, 3) stitches at beginning of next 2 rows, 2 stitches at beginning of next 2 rows and decrease 1 stitch at beginning of next 10 rows (92 (96, 100, 106, 110, 114, 118) stitches remain). Knit 48 (50, 52, 54, 56, 58, 60) rows without shaping (200 (202, 204, 206, 208, 210, 212) rows from beginning of ribbing).
Shape shoulders. Cast off 6 (7, 7, 7, 7, 8, 8) stitches at beginning of next 8 (2, 4, 8, 2, 4, 6) rows and 5 (6, 6, 6, 7, 7, 7) stitches at beginning of next 2 (8, 6, 2, 8, 6, 4) rows. Cast off remaining 34 (34, 36, 38, 40, 40, 42) stitches.

RIGHT FRONT
Cast on 67 (69, 73, 75, 79, 81, 85) stitches. Change to Tension 7 nad knit 16 rows. (Knit 1 row extra for Left Front only.) Drop every alternate stitch and pick up as for ribbing.
2nd, 4th and 6th sizes only. Increase 1 stitch at right.
All sizes. (67 (70, 73, 76, 79, 82, 85) stitches.) Change to Tension 9 and knit 1 row. Cast on 13 stitches at beginning of next row. Knit 116 rows without shaping. (Cam Box is at right.)
Shape armhole. Cast off 4 (5, 5, 5, 6, 6, 6) stitches at beginning of next row; knit 1 row. Cast off 2 (2, 3, 3, 3, 3, 4) stitches at beginning of next row; knit 1 row. Cast off 2 (2, 2, 2, 2, 3, 3) stitches at beginning of next row; knit 1 row. Cast off 2 stitches at beginning of next row; knit 1 row. Decrease 1 stitch at beginning of the next and every following alternate row 5 times altogether (65 (67, 69, 72, 74, 76, 78) stitches remain). Knit 34 (34, 36, 36, 38, 38, 40) rows without shaping.
Shape neck. Cast off 27 stitches at beginning of next row; knit 1 row. Cast off 2 (2, 2, 2, 3, 3, 3) stitches at beginning of next row; knit 1 row. Cast off 2 stitches at beginning of next row; knit 1 row. Decrease 1 stitch at beginning of the next and every following alternate row 5 (5, 6, 7, 7, 7, 8) times altogether (29 (31, 32, 34, 35, 37, 38) stitches remain). Knit 2 (4, 2, 2, 2, 4, 2) rows without shaping. (Cam Box is at right.)
Shape shoulder. Cast off 6 (7, 7, 7, 7, 8, 8) stitches at beginning of next row; knit 1 row. Cast off 6 (6, 7, 7, 7, 8, 8) stitches at beginning of next row; knit 1 row. Cast off 6 (6, 6, 7, 7, 7, 8) stitches at beginning of next row; knit 1 row. Cast off 6 (6, 6, 7, 7, 7, 7) stitches at beginning of next row; knit 1 row. Cast off remaining 5 (6, 6, 6, 7, 7, 7) stitches.

LEFT FRONT
Follow instructions for Right Front but reverse the shapings by noting alteration in number of rows worked and reading left for right and vice versa, and making buttonholes over Needles 6, 7, 8 and 9 from the right edge on row 8 and over Needles 5, 6, 7, 8 and 19, 20, 21, 22 from the right edge on the following rows from beginning of ribbing:—42, 76, 110, 144 and 178 (42, 76, 110, 144 and 178; 43, 78, 113, 148 and 183; 43, 78, 113, 148 and 183; 43, 78, 113, 148 and 183; 43, 78, 113, 148 and 183; 44, 80, 116, 152 and 188).

SLEEVES (both alike)
Cast on 59 (61, 61, 63, 63, 65, 65) stitches. Change to Tension 7 and knit 20 rows. Drop every alternate stitch and pick up as for ribbing. Change to Tension 9 and increase 1 stitch at beginning of the next 2 rows and every following 7th and 8th (6th and 7th, 6th and 7th, 6th and 7th, 5th and 6th, 5th and 6th, 5th and 6th) rows 15 (16, 17, 18, 19, 20, 21) times altogether (89

Continued on page 25



Junior Fashion

Jumper suits are back and here is our "current relea

Scoop!

e" in a wide range of sizes

Jumper. For Knitmasters with 135 Needles or more. Skirt. First 3 sizes for Knitmasters with 135 Needles or more; largest size for Knitmasters with 168 Needles or more.

MATERIALS: Jumper. 7 (8, 9, 10) oz. Bairns-Wear La Laine 4-ply wool in main colour; 1 oz. Bairns-Wear La Laine 4-ply wool in contrasting colour; $1\frac{3}{4}$ yds. bias binding; 6 small buttons; stitch holder.
Skirt: 5 (7, 9, 11) oz. Bairns-Wear La Laine 4-ply wool in main colour; hooks and eyes; 6-inch Lightning zip fastener; $\frac{3}{4}$ yd. $\frac{1}{2}$-inch wide elastic for waist; crochet hook.

MEASUREMENTS: Jumper. To fit a 24 (26, 28, 30) inch chest (actual garment measures 26 (28, 30, 32) inches); length at centre back without collar, $16\frac{3}{4}$ ($17\frac{3}{4}$, $18\frac{3}{4}$, $19\frac{3}{4}$) inches (adjustable); sleeve seam, $12\frac{1}{2}$ (14, $15\frac{1}{2}$, 17) inches (adjustable).
Skirt: To fit a 22 (23, 24, 25) inch waist; completed length 12 (14, 16, 18) inches.

TENSION: 15 stitches and 22 rows to 2 inches, measured over stocking stitch.

ABBREVIATIONS: W.P., Working Position; N.W.P., Non-Working Position; H.P., Holding Position; M, main colour; C, contrasting colour.

NOTES: Figures in brackets refer to the larger sizes respectively.
The pattern is worked on alternate Needles only and the stocking stitch on every Needle.

JUMPER

BACK
Using M, cast on 50 (54, 58, 62) stitches *on alternate Needles only*. Change to Tension 4 and knit 2 rows. **Counting from the right edge, push the 2nd and every following alternate Needle into H.P. *Change to C and knit 2 rows. Change to M and knit 1 row. Push all Needles from H.P. back into W.P. and knit 1 row.* Push the 1st and every following alternate Needle into H.P. Now repeat from * to * once more.** The last 8 rows, from ** to **, form 1 complete pattern. Knit 3 more patterns (34 rows from beginning).
Push every alternate Needle from N.W.P. into W.P. and transfer loops from below the adjacent stitches on to empty Needles (99 (107, 115, 123) stitches). Change to Tension 6 and knit 100 (104, 110, 114) rows without shaping (134 (138, 144, 148) rows from beginning). (Adjust length at this stage, if desired.)***
Shape raglan armholes. Decrease 1 stitch at beginning of next 68 (74, 80, 86) rows. Cast off remaining 31 (33, 35, 37) stitches.

FRONT
Follow instructions for Back to ***.
Shape raglan armholes. Decrease 1 stitch at beginning of next 2 (4, 6, 10) rows.
Front opening. Slip 48 (51, 54, 56) stitches at left on to a stitch holder.
Knit the right part as follows:—Decrease 1 stitch at beginning of the next and every following alternate row 23 (24, 25, 26) times altogether. (Cam Box is at left.)
Shape neck. Cast off 4 stitches at beginning of next row. Decrease 1 stitch at beginning of next row. Cast off 3 stitches at beginning of next row. Decrease 1 stitch at beginning of next row. *Cast off 2 stitches at beginning of next row. Decrease 1 stitch at beginning of next row.* Repeat the last 2 rows, from * to *, 1 (2, 2, 3) more times. Decrease 1 stitch at beginning of next 6 (4, 6, 4) rows; knit 1 row. Keeping neck edge straight, decrease 1 stitch at beginning of the next and every following alternate row 3 (4, 4, 4) times altogether; knit 1 row. Cast off remaining 2 stitches.
Knit the left part as follows:—Increase 1 stitch at right edge. Now follow instructions for right part but reverse the shapings by starting with Cam Box at left and reading right for left.

SLEEVES (both alike)
Using M, cast on 53 (55, 57, 59) stitches. Change to Tension 4 and knit 18 rows. Drop every alternate stitch and pick up as for ribbing. Change to Tension 6 and increase 1 stitch at beginning of the next 2 rows and every following 13th and 14th (12th and 13th; 11th and 12th; 10th and 11th) rows 9 (11, 13, 15) times altogether (71 (77, 83, 89) stitches). Knit 14 (12, 14, 18) rows without shaping (146 (162, 178, 192) rows from beginning of ribbing). (Adjust length at this stage, if desired.)
Shape raglan top. Decrease 1 stitch at beginning of next 68 (74, 80, 86) rows. Cast off remaining 3 stitches.

COLLAR
Using M, cast on 51 (53, 55, 57) stitches *on alternate Needles only*. Change to Tension 4 and knit 2 rows. Now knit 3 complete patterns as given for Back from ** to **. Change to Tension 3 and repeat from ** to ** once more. Change to Tension 2 and repeat from ** to ** once more (5 patterns altogether and 42 rows from beginning). Cast off.

TO MAKE UP
Press each piece carefully with a hot iron over a damp cloth, omitting the ribbing and stretching pattern out sideways. Join the raglan, side and sleeve seams and press. Turn up 2 rows along lower edge and face with bias binding; press. Face edges of front opening and the side and cast-on edges of collar with bias binding; press. Sew cast-off edge of collar into position; press. Sew on buttons as shown. Crochet 3 chains $2\frac{1}{2}$ inches long, join into rings and sew centres together to form loops for buttonholes; attach under buttons on left side. Give final pressing.

Continued on page 25

Late Night

A cosy bed jacket designed
lines to flatter those with more gen

For Knitmasters with 168 Needles or more.

MATERIALS: 10 (11, 11, 11, 12) oz. Patons Beehive 3-ply wool; $1\frac{3}{4}$ yds. folded satin blanket ribbon; crochet hook.

MEASUREMENTS: To fit a 38 (40, 42, 44, 46) inch bust (actual garment measures approximately 40 (42, 44, 46, 48) inches); length at centre back without neck border, 20 inches; sleeve seam, approximately 10 inches (adjustable).

TENSION: 14 stitches (counting spaces where Needles are in N.W.P. as stitches) and 42 rows (7 complete patterns) to 2 inches, measured over pattern.

ABBREVIATIONS: W.P., Working Position; N.W.P., Non-Working Position; H.P., Holding Position.

NOTES: Figures in brackets refer to the larger sizes respectively.
The purl side is used as the right side.
The jacket is knitted from side to side.
When increasing and decreasing and a Needle in N.W.P. becomes the end stitch, push this Needle into W.P. and continue with 4 adjacent Needles in W.P. until a further stitch is increased or decreased.

BACK
Push up 57 Needles at right of Needle Bed, then push the 3rd and every following 4th Needle from W.P. back into N.W.P., *but count them as stitches throughout.* Cast on over Needles remaining in W.P. Change to Tension 7. (Knit 1 row for Right Front only.)
Now work in pattern as follows:—*Push the 1st and every following 4th Needle into H.P.; always taking wool round the end Needles in H.P., knit 4 rows. Push Needles from H.P. back into W.P., knit 2 rows.* The last 6 rows, from * to *, form 1 complete pattern which should be repeated throughout. Knit 161 more rows in pattern without shaping. (Adjust length of sleeve at this stage, if desired, by 1 or more complete patterns.) (Cam Box is at left.)
Shape side edge. Keeping pattern correct, increase 1 stitch at beginning of the next and every following 6th row 3 times altogether; knit 5 rows. Cast on 2 stitches at beginning of the next and every following 6th row 4 times altogether; knit 5 rows. Cast on 73 stitches at beginning of next row (141 stitches altogether).
Keeping pattern correct, knit 126 (138, 144, 156, 168) rows without shaping. (Cam Box is at right.)**
Mark the right edge with different wool for beginning of neck edge. Knit 168 more rows in pattern without shaping. Mark the right edge with different wool for end of neck edge. Knit 125 (137, 143, 155, 167) more rows in pattern without shaping. (Cam Box is at left.)
Shape side edge. Cast off 73 stitches at beginning of next row; knit 5 rows. Cast off 2 stitches at beginning of the next and every following 6th row 4 times altogether; knit 5 rows. Decrease 1 stitch at beginning of the next and every following 6th row 3 times altogether (57 stitches remain). Knit 168 more rows in pattern without shaping. (Adjust length of second sleeve as on first, if desired.) Cast off.

LEFT FRONT
Follow instructions for Back to **.
Shape neck edge. Keeping pattern correct, cast off 14 stitches at beginning of next row; knit 5 rows. Cast off 8 stitches at beginning of next row; knit 5 rows. Cast off 6 stitches at beginning of the next and every following 6th row 8 times altogether; knit 5 rows. Cast off remaining 71 stitches.

RIGHT FRONT
Follow instructions for Left Front but reverse the shapings by reading left for right and vice versa and noting alteration in number of rows worked.

TO MAKE UP
Pin out each piece to size and press lightly on the plain side with a hot iron over a damp cloth. Join the shoulder and top-of-sleeve seams and press. Join the side and sleeve seams and press. Work 1 row of double crochet and 1 row of shell stitch round the lower and sleeve edges and press. Face the front and back-of-neck edge with blanket ribbon as shown. Give final pressing.

Final

on clean-cut
erous proportions



Introducing the latest in

"His 'n Hers" Jackets

for young sweethearts

For Knitmasters with 135 Needles or more.

MATERIALS: Jacket with striped border. 2 (3, 3) oz. Emu 3-ply Baby wool in main colour; small amount of Emu 3-ply Baby wool in contrasting colour; crochet hook; 6 small buttons.
Jacket with braid edgings. 2 (3, 3) oz. Emu 3-ply Baby wool; $1\frac{1}{2}$ ($1\frac{1}{2}$, $1\frac{3}{4}$) yds. $\frac{1}{2}$-inch wide fancy braid in contrasting colour; $\frac{1}{2}$ yd. narrow baby ribbon in contrasting colour.

MEASUREMENTS: To fit an 18 (20, 22) inch chest (actual garment measures 20 (22, 24) inches); length at centre back, 9 (10, 11) inches; sleeve seam, $5\frac{1}{2}$ ($6\frac{1}{4}$, 7) inches (adjustable).

TENSION: $15\frac{1}{2}$ stitches and 22 rows to 2 inches.

ABBREVIATIONS: M, main colour; C, contrasting colour.

NOTE: Figures in brackets refer to the larger sizes respectively.

JACKET WITH STRIPED BORDER

BACK
Using M, cast on 87 (95, 103) stitches. Change to Tension 6 and knit 10 (14, 18) rows without shaping. Decrease 1 stitch at beginning of the next 2 rows and every following 11th and 12th rows 4 times altogether (79 (87, 95) stitches remain). Knit 2 (4, 4) rows without shaping (50 (56, 60) rows from beginning).
Shape raglan armholes. *Cast off 3 (2, 1) stitches at beginning of next 2 rows and decrease 1 stitch at beginning of next 46 (52, 58) rows*. Cast off remaining 27 (31, 35) stitches.

RIGHT FRONT
Using M, cast on 41 (45, 49) stitches. **Change to Tension 6 and knit 10 (14, 18) rows without shaping. (Knit 1 row extra for Left Front only.) Decrease 1 stitch at beginning of the next and every following 12th row 4 times altogether (37 (41, 45) stitches remain (41 (45, 49) stitches remain on Jacket with braid edgings)). Knit 3 (5, 5) rows without shaping (50 (56, 60) rows from beginning).
Shape raglan armhole. Cast off 3 (2, 1) stitches at beginning of next row; knit 1 row. Decrease 1 stitch at beginning of the next and every following alternate row 13 (15, 17) times altogether. (Cam Box is at left.)
Shape neck. Still decreasing 1 stitch at armhole (right) edge on the 2nd and every following alternate row 10 (11, 12) times altogether, *at the same time* cast off 2 stitches (6 stitches on Jacket with braid edgings) at beginning of next row; knit 1 row. Cast off 1 (2, 2) stitches at beginning of next row; knit 1 row. Cast off 1 (1, 2) stitches at beginning of next row; knit 1 row. Decrease 1 stitch at beginning of the next and every following alternate row 5 (6, 7) times altogether; knit 6 rows. Cast off remaining 2 stitches.

LEFT FRONT
Follow instructions for Right Front but reverse the shapings by noting alteration in number of rows worked and reading right for left and vice versa.

SLEEVES (both alike)
Using M, cast on 45 (49, 53) stitches. Change to Tension 6 and knit 4 (6, 6) rows without shaping. Increase 1 stitch at beginning of the next 2 rows and every following 11th and 12th (12th and 13th, 14th and 15th) rows 5 times altogether (55 (59, 63) stitches altogether). Knit 6 (8, 10) rows without shaping (60 (68, 78) rows from beginning). (Adjust length at this stage, if desired.)

Shape raglan top. Follow instructions for Back from * to *. Cast off remaining 3 stitches.

LEFT FRONT BORDER
Leaving at least 6 Needles in N.W.P. at left of Needle Bed and using M, cast on 2 stitches. Change to Tension 4. Working in stripes of 2 rows M and 2 rows C throughout, knit 2 rows. Increase 1 stitch at beginning of next 12 rows (14 stitches altogether). *Keeping stripe pattern correct, increase 1 stitch at right edge and decrease 1 stitch at left edge; knit 2 rows*. Repeat from * to * until border is long enough to go along front edge and to centre back of neck. Cast off.

RIGHT FRONT BORDER
Follow instructions for Left Front Border but read left for right and vice versa.

JACKET WITH BRAID EDGINGS

BACK AND SLEEVES
Follow instructions for Back and Sleeves of Jacket with striped borders.

RIGHT FRONT
Using M, cast on 45 (49, 53) stitches. Now follow instructions for Right Front of Jacket with striped borders from ** to end, noting alterations in brackets.

LEFT FRONT
Follow instructions for Right Front but reverse the shapings by noting alteration in number of rows worked and reading right for left and vice versa.

TO MAKE UP
Press each piece carefully with a hot iron over a damp cloth. Join the raglan, side and sleeve seams and press.

Jacket with striped borders. Work 1 row of double crochet around lower and sleeve edges; press. With right sides together, pin one side edge of front borders into position and join cast-off edges. Fold in half, turn in ends and catch down on the inside; press. Sew 3 buttons to each front as shown. Crochet 3 chains $2\frac{1}{2}$ inches long, join each into a ring and sew the centres of each together, leaving loops to form the buttonholes. Attach under the buttons on the appropriate side. Give final pressing.

Jacket with braid edgings. Work 1 row of double crochet around neck and sleeve edges; press. Sew braid along front and lower edges as shown and around sleeve edges, if required. Sew a length of narrow ribbon to each front neck edge for bow. Give final pressing.

Glow with Warmth this Winter

This wide selection of cosy winter fashions proves there's no longer any need to shiver for elegance !

Right. By *Susan Small;* a new winter version of the jumper suit in rough tweed jersey with the shirt look. In sizes 10 to 16, it is available in red, white, royal, mustard and emerald; price approx. 11 gns.

Right. By *Valstar;* a foam-backed check tweed rain coat with contrasting binding on collar and pockets and a half belt at the back; in 4 lengths it is available in turquoise, green and brown; price 7½ gns.

Below. By *Windsmoor;* a 3-piece suit in Cheviot Scotch Tweed with fitted waistcoat-style blouse, loose fitting jacket and straight skirt. In sizes 10 to 18 it is available in beige and grey; price 17 gns.

Below. By *Holmes;* knee-high Cossack boots in suede with broad black patent collar. The top half is lined with satin, the lower half with nylon fur and the sole is of non-skid resin rubber with a one-inch leather heel; price approx. £6. 19s. 6d.

Below. By *Telemac;* a pretty but very practical raincoat in Stoffels Aquaparl cotton with a half belt at the back. Inside there is a lightweight quilted lining, giving warmth without weight; price £7 19s. 6d.



Above. By *Linzi;* an elegant, fine worsted dress for formal occasions. The unusual cut-away neckline and long clinging sleeves are provocatively trimmed with matching satin bows. In sizes 10 to 18, it is available in black or tobacco; price £8 18s. 6d.

Above. By *Elegance Maternelle*, a chic outfit for the young mother-to-be. The sleeveless top has a suedette front and blending wool jersey back and the matching wool jersey slacks are slim fitting and beautifully tailored. Both are available in black, mid grey, charcoal grey, nigger, olive and cherry; price 5 gns. each.

Left. By *Gor-ray*, a beautifully cut, easy-to-wear pure wool skirt with a smooth hipline and two inverted pleats back and front with insets in dogtooth check to match the belt which has a gilt buckle. In hip sizes 38 to 42 inches, it is brown with brown and white check; price 70s.

Mainly Plain

Fashion's latest formula adds a tweedy overblouse to this simple shift dress (see page 22)

(Pendant by Rosita)

Dress. First 2 sizes for Knitmasters with 135 Needles or more; largest size for Knitmasters with 168 Needles or more.
Overblouse. All sizes for Knitmasters with 135 Needles or more.

MATERIALS: Dress: 17 (20, 22) oz. Sirdar Fontein 4-ply Crepe; three 4-inch Lightning zip fasteners; crochet hook; stitch holder; 1½ yds. 1-inch wide bias binding.
Overblouse: 4 (5, 6) oz. Sirdar Fontein 4-ply Crepe in main colour; 2 (3, 3) oz. Sirdar Fontein 4-ply Crepe in first contrasting colour; 2 (3, 3) oz. Sirdar Fontein 4-ply Crepe in second contrasting colour; 4½ yds. 1-inch wide bias binding; stitch holder.

MEASUREMENTS: Dress: To fit a 32 (34, 36) inch bust and 34 (36, 38) inch hips (actual garment measures 35 (37, 39) inches); length at centre back without neckband, 39 (40, 41) inches (adjustable); sleeve seam, 17 (17½, 18) inches (adjustable).
Overblouse: To fit a 32 (34, 36) inch bust (actual garment measures 36 (38, 40) inches); length at centre back, 21½ (22½, 23½) inches (adjustable).

ABBREVIATIONS: W.P., Working Position; H.P., Holding Position; M, main colour; C1, first contrasting colour; C2, second contrasting colour.

TENSION: Dress: 7 stitches and 10 rows to 1 inch. **Overblouse:** 18¾ stitches and 48 rows (2 complete patterns) to 3 inches, measured over pattern.

NOTE: Figures in brackets refer to the larger sizes respectively.

DRESS

BACK
Cast on 125 (132, 139) stitches. Change to Tension 6 and knit 2 rows. Change to Tension 8 and knit 310 (314, 320) rows without shaping. (Adjust length at this stage, if desired.)
Shape armholes. Cast off 3 stitches at beginning of next 2 rows, 2 stitches at beginning of the next 2 (2, 4) rows and decrease 1 stitch at beginning of the next 10 (14, 14) rows.* Knit 30 (32, 34) rows without shaping.
Back opening. 1st and 3rd sizes only. Divide work in centre by transferring the centre stitch on to its adjacent Needle.
All sizes. Slip 52 (54, 55) stitches at left on to a stitch holder.
Knit the right part as follows:—Knit 26 rows without shaping.
Shape shoulder. Cast off 7 stitches at beginning of the next and every following alternate row 5 times altogether; knit 1 row. Cast off remaining 17 (19, 20) stitches.
Knit the left part as for right part but reverse the shaping by starting with Cam Box at left.

FRONT
Follow instructions for Back to *. Knit 36 (38, 40) rows without shaping.
Shape neck. Using an odd length of wool, cast off 9 (10, 9) stitches in centre and slip 48 (49, 51) stitches at left on to a stitch holder.
Knit the right part as follows:—Knit 1 row. (Cam Box is at left.) Cast off 2 stitches at beginning of the next and every following alternate row 1 (2, 3) times altogether; knit 1 row. Decrease 1 stitch at beginning of the next and every following alternate row 10 (9, 8) times altogether. (Cam Box is at right.)
Shape shoulder. Still decreasing 1 stitch at neck (left) edge on the 2nd and every following alternate row 1 (1, 2) times altogether, *at the same time* cast off 7 stitches at beginning of the next and every following alternate row 4 times altogether; knit 1 row. Cast off remaining 7 stitches.
Knit the left part as for right part but reverse the shapings by starting with Cam Box at left and reading right for left and vice versa.

SLEEVES (both alike)
Cast on 47 (51, 54) stitches. Change to Tension 6 and knit 2 rows. Change to Tension 8 and knit 2 rows. Increase 1 stitch at beginning of the next 2 rows and every following 7th and 8th rows 16 times altogether (79 (83, 86) stitches). Knit 46 (52, 56) rows

Continued on page 22

without shaping (172 (178, 182) rows from beginning). (Adjust length at this stage, if desired.)
Shape top. Cast off 3 stitches at beginning of next 2 rows and 2 stitches at beginning of next 2 rows. Decrease 1 stitch at beginning of next 34 (38, 46) rows. Cast off 2 stitches at beginning of next 6 (6, 4) rows and 3 stitches at beginning of the next 4 rows. Cast off remaining 11 (11, 10) stitches.

NECKBAND
Cast on 9 stitches. Change to Tension 6 and knit until long enough to go around neck edge. Cast off.

BELT
Cast on 9 stitches. Change to Tension 6 and knit until the required length. Cast off.

TO MAKE UP
Press each piece carefully with a hot iron over a damp cloth. Join the shoulder, side and sleeve seams, leaving 4 inches open at lower sleeve edges for zips; press. Set in sleeves; press. With right sides together, sew neckband to neck edge, fold in half and catch down on the inside; press. Turn up 2 rows on sleeve and lower edges of dress and face with bias binding; press. Work 1 row of double crochet along zip openings at back and on sleeves. Sew in zips. Join side edges and ends of belt and press flat. Give final pressing.

OVERBLOUSE

BACK
Using M, cast on 115 (121, 127) stitches. Change to Tension 6 and knit 2 rows. Change to Tension 8 and work in pattern as follows:—
*Always counting from the right edge, push the 1st and every following 3rd Needle into H.P. Change to C1 and, always taking wool round the end Needle in H.P., knit 1 row. Change to C2 and knit 1 row. Change to M and knit 1 row. Push all Needles from H.P. back into W.P. and knit 1 row.
Push the 2nd and every following 3rd Needle into H.P. Change to C2 and knit 1 row. Change to C1 and knit 1 row. Change to M and knit 1 row. Push all Needles from H.P. back into W.P. and knit 1 row.
Push the 3rd and every following 3rd Needle into H.P. Change to C1 and knit 1 row. Change to C2 and knit 1 row. Change to M and knit 1 row. Push all Needles from H.P. back into W.P. and knit 1 row.** Repeat from * to ** reversing the contrasting colours by reading C2 for C1 and vice versa.* The last 24 rows from * to * form 1 complete pattern which should be repeated throughout.*** Keeping pattern correct, knit 176 (184, 192) rows without shaping (202 (210, 218) rows from beginning).
Shape armholes. Cast off 3 (4, 4) stitches at beginning of next 2 rows; knit 2 rows. Cast off 2 (2, 3) stitches at beginning of the next 2 rows and following 3rd and 4th rows; knit 2 rows. Cast off 2 stitches at beginning of the next 2 rows and every following 3rd and 4th rows 3 times altogether. Keeping pattern correct, knit 106 (114, 122) rows without shaping.
Shape shoulder. Cast off 4 stitches at beginning of next 2 rows and every following 3rd and 4th rows 3 times altogether; knit 2 rows. Cast off 3 stitches at beginning of the next 2 rows; knit 2 rows. Cast off remaining 59 (63, 65) stitches.

FRONT
Follow instructions for Back to ***. Keeping pattern correct, knit 144 (152, 160) rows without shaping.

Shape neck. Using an odd length of wool, cast off 5 stitches in centre and slip 55 (58, 61) stitches at left on to a stitch holder.

Knit the right part as follows:—Keeping pattern correct, knit 1 row. (Cam Box is at left.) Cast off 2 stitches at beginning of the next and every following 4th row 6 times altogether; knit 5 rows. Decrease 1 stitch at beginning of next row; knit 4 rows.

Shape armhole. Cast off 3 (4, 4) stitches at beginning of next row. Decrease 1 stitch at beginning of next row; knit 2 rows. Decreasing 1 stitch at neck edge on the 4th and every following 6th row, *at the same time* cast off 2 (2, 3) stitches at beginning of the next and following 4th row; knit 3 rows. Cast off 2 stitches at beginning of the next and every following 4th row 3 times altogether; knit 4 rows. Keeping armhole edge straight, decrease 1 stitch at neck edge on the next and every following 6th row 10 (12, 13) times altogether (15 stitches remain). Keeping neck edge straight, knit 52 (48, 50) rows in pattern without shaping.

Shape shoulder. Keeping pattern correct, cast off 4 stitches at beginning of the next and every following 4th row 3 times altogether; knit 3 rows. Cast off remaining 3 stitches.
Knit the left part as for right part but reverse the shapings by starting with Cam Box at left and reading right for left.

TO MAKE UP
Pull each piece into shape and pin out to size. Press carefully with a hot iron over a damp cloth. Join the shoulder and side seams and press. Face neck, armhole and lower edges with bias binding. Give final pressing.

Lady's Travel Coat

Continued from page 5

CUFFS (both alike)
Using M, cast on 40 stitches on every 3rd Needle. Change to Tension 3 and knit 2 rows. Change to Tension 5 and, working in pattern as given for Back from * to *, knit 22 rows without shaping. Decrease 1 stitch at beginning of next 4 rows. Cast off remaining 36 stitches.

COLLAR
Using M, cast on 52 stitches on every 3rd Needle. Change to Tension 3 and knit 4 rows. Change to Tension 5 and, working in pattern as given for Back from * to *, increase 1 stitch at beginning of next 4 rows (56 stitches). Knit 24 rows without shaping. Cast off 2 stitches at beginning of next 20 rows. Cast off remaining 16 stitches.

LEFT REVER
Using M, cast on 17 stitches on every 3rd Needle. Change to Tension 5 and knit 1 row. Working in pattern as given for Back from * to *, knit 8 rows without shaping. (Knit 1 row for Right Rever only.) Increase 1 stitch at beginning of the next and every following 10th row 5 times altogether (22 stitches). Knit 24 rows without shaping. (Cam Box is at right.) Keeping pattern correct, cast off 10 stitches at beginning of next row; knit 1 row. Decrease 1 stitch at beginning of the next and every following alternate row 10 times altogether. Knit 4 rows without shaping. Cast off remaining 2 stitches.

RIGHT REVER
Follow instructions for Left Rever but reverse the shapings by noting alteration in number of rows worked and reading left for right.

TO MAKE UP
Press each piece carefully with a hot iron over a damp cloth. Join the shoulder, side and sleeve seams; press. Set in sleeves with the more shaped part towards the front; press. Turn in ½-inch along cast-on and side edges of collar. Sew cast-off edge of collar into position between marked points. Cut 2 pieces of facing material 23 inches long by 4½ inches wide and tack into position ½-inch in from front edges and beginning ½-inch from lower edge and ending 1½-inches above top buttonhole. Turn in ½-inch along front edge and catch down on to facing material. With right sides together, join revers to fronts up to marked points, turn revers to the inside; press. Catch down revers on the inside. Neaten raw edge of facing material. Finish buttonholes and sew on buttons as shown. Turn up ½-inch along lower edge of garment. Turn in ¼-inch along side and shaped edges of cuffs.
Cuff plaits (2 alike). Using C, cut 3 lengths of wool 60-inches long. Place together, fold in half, place loop over a hook and plait.
Collar plait. Using C, cut 3 lengths of wool 120-inches long. Place together, fold in half, place loop over a hook and plait. Sew plaits into position along edge of cast-off and side edges of cuffs and along edge of revers and collar. Cut off surplus and secure ends firmly. Sew cast-on edge of cuffs into position and turn back as shown. Give final pressing.

Boy's Cable Pullovers

Continued from page 7

off 4 (5, 5, 6, 6) stitches at beginning of next 2 rows, 3 (3, 3, 3, 4) stitches at beginning of next 2 rows, 2 (2, 3, 3, 3) stitches at beginning of next 2 rows, 2 stitches at beginning of next 2 rows and decrease 1 stitch at beginning of next 14 rows (66 (72, 78, 84, 90) stitches remain). Knit 42 (48, 54, 58, 64) rows without shaping (150 (166, 182, 198, 216) rows from beginning of ribbing).
Shape shoulders. Keeping cable pattern correct, cast off 4 (4, 5, 5, 6) stitches at beginning of next 2 rows, 4 (5, 5, 6, 6) stitches at beginning of next 4 rows and 5 (5, 6, 6, 7) stitches at beginning of next 2 rows. Making chains in spaces where Needles are in N.W.P., cast off remaining 32 (34, 36, 38, 40) stitches.

FRONT
Follow instructions for Back to **.
Knit 50 (60, 70, 82, 94) more rows in cable pattern without shaping (82 (92, 102, 114, 126) rows from beginning of ribbing). (Adjust length as on Back, if desired.)
Shape neck. Divide work in centre by slipping 51 (55, 59, 63, 67) stitches at left on to a stitch holder.
Knit the right half as follows:—Keeping cable pattern correct, decrease 1 stitch at neck edge on the next row; knit 3 rows (86 (96, 106, 118, 130) rows from beginning of ribbing). (Cam Box is at right.)
Shape armhole. Keeping cable pattern correct and decreasing 1 stitch at neck edge on the 2nd and every following 5th row, *at the same time* cast off 4 (5, 5, 6, 6) stitches at beginning of next row; knit 1 row. Cast off 3 (3, 3, 3, 4) stitches at beginning of next row; knit 1 row. Cast off 2 (2, 3, 3, 3) stitches at beginning of next row; knit 1 row. Cast off 2 stitches at beginning of next row; knit 1 row. Decrease 1 stitch at beginning of the next and every following alternate row 7 times altogether (28 (31, 34, 37, 40) stitches remain).
Keeping cable pattern correct and armhole edge straight, decrease 1 stitch at neck edge on the next and every following 5th row 9 (11, 12, 13, 14) times altogether (19 (20, 22, 24, 26) stitches remain). Knit 4 (0, 1, 0, 1) rows without shaping. (Cam Box is at right.)
Shape shoulder. Keeping cable pattern correct and still decreasing 1 stitch at neck edge as before 2 (1, 1, 1, 1) more times, cast off 4 (4, 5, 5, 6) stitches at beginning of next row; knit 1 row. Cast off 4 (5, 5, 6, 6) stitches at beginning of the next and following alternate row; knit 1 row. Making chains in spaces where Needles are in N.W.P., cast off remaining 5 (5, 6, 6, 7) stitches.
Knit the left half as for right half but reverse the shapings by starting with Cam Box at left and reading left for right.

NECKBAND (2 pieces)
Cast on 75 (79, 85, 89, 95) stitches. Change to Tension 4 and knit 2 rows (1 row only for second piece). Increase 1 stitch at beginning of the next and every following alternate row 6 times altogether (81 (85, 91, 95, 101) stitches). Knit 1 row (2 rows for second piece only). Drop every alternate stitch and pick up as for ribbing. Cast off loosely in rib by hand.
Knit the second piece as for first piece but reverse the shaping by noting alterations in number of rows worked.

ARMBANDS (2 alike)
Cast on 87 (97, 107, 117, 127) stitches. Change to Tension 4 and knit 2 rows. *Increase 1 stitch at beginning of next 4 rows; knit 2 rows*. Repeat from * to * once more (95 (105, 115, 125, 135) stitches). Drop every alternate stitch and pick up as for ribbing. Cast off loosely in rib by hand.

TO MAKE UP
Press each piece carefully with a hot iron over a damp cloth, omitting the ribbing. Join the shoulder and side seams; press. Join both pieces of neckband together and sew cast-off edge into position, with mitre at centre front. Join ends of armbands and sew cast-off edges into position, with mitres at side seams. Give final pressing.

RAGLAN SWEATER

BACK
Cast on 109 (117, 125, 133, 141) stitches. Change to Tension 4 and knit 16 rows. Drop every alternate stitch and pick up as for ribbing. Change to Tension 6 and increase 1 stitch at right edge (110 (118, 126, 134, 142) stitches).
Now arrange stitches for cable panels as follows:—Counting from both edges, transfer stitches 2, 11, 16, 25, 30, 39, 44 and 53 (6, 15, 20, 29, 34, 43, 48 and 57; 5, 10, 19, 24, 33, 38, 47, 52 and 61; 9, 14, 23, 28, 37, 42, 51, 56 and 65; 4, 13, 18, 27, 32, 41, 46, 55, 60 and 69) on to their adjacent Needles and push empty Needles into N.W.P. *but count them as stitches throughout.* *Knit 6 rows without shaping. Using Double Transfer tools, cross stitches 12 and 13 with stitches 14 and 15 (2 and 3 with stitches 4 and 5; 6 and 7 with stitches 8 and 9; 10 and 11 with stitches 12 and 13; 14 and 15 with stitches 16 and 17) and every following 11th and 12th stitches with the 13th and 14th stitches 7 (9, 9, 9, 9) times altogether. Knit 10 rows without shaping. Make cables over the same Needles as before.* The last 16 rows, from * to *, form 1 complete cable pattern which should be repeated throughout.**
Knit 64 (74, 86, 98, 108) more rows in cable pattern without shaping (96 (106, 118, 130, 140) rows from beginning of ribbing). (Adjust length at this stage, if desired, by a number of rows divisible by 16.)
Shape raglan armholes. ***Keeping cable pattern correct, cast off 3 (3, 3, 4, 4) stitches at beginning of next 2 rows, 2 stitches at beginning of next 2 rows and decrease 1 stitch at beginning of next 68 (74, 80, 84, 90) rows***. Making chains in spaces where Needles are in N.W.P., cast off remaining 32 (34, 36, 38, 40) stitches.

FRONT
Follow instructions for Back to **.
Knit 60 (70, 82, 94, 104) more rows in cable pattern without shaping (92 (102, 114, 126, 136) rows from beginning of ribbing). (Adjust length as on Back, if desired.)

Shape neck. Divide work in centre by slipping 55 (59, 63, 67, 71) stitches at left on to a stitch holder.

Knit the right half as follows:—Keeping cable pattern correct, decrease 1 stitch at neck edge on the next row; knit 3 rows (96 (106, 118, 130, 140) rows from beginning of ribbing). (Cam Box is at right.)

Shape raglan armhole. Keeping cable pattern correct and decreasing 1 stitch at neck edge on the 2nd and every following 5th row 13 (14, 15, 16, 17) times altogether, *at the same time* cast off 3 (3, 3, 4, 4) stitches at beginning of next row; knit 1 row. Cast off 2 stitches at beginning of next row; knit 1 row. Decrease 1 stitch at beginning of the next and every following alternate row 34 (37, 40, 42, 45) times altogether; knit 1 row. Fasten off remaining 2 stitches.
Knit the left half as for right half but reverse the shapings by starting with Cam Box at left and reading left for right.

SLEEVES (both alike)
Cast on 53 (57, 61, 65, 69) stitches. Change to Tension 4 and knit 26 rows. Drop every alternate stitch and pick up as for ribbing. Change to Tension 6 and increase 1 stitch at right edge (54 (58, 62, 66, 70) stitches).
Now arrange stitches for cable panels as follows:—Counting from both edges, transfer stitches 2, 11, 16 and 25 (4, 13, 18 and 27; 6, 15, 20 and 29; 3, 8, 17, 22 and 31; 5, 10, 19, 24 and 33) on to their adjacent Needles and push empty Needles into N.W.P. *but count them as stitches throughout.*
Knit 2 rows without shaping.
1st, 2nd, 4th and 5th sizes only. Increase 1 stitch at beginning of next 2 rows.
3rd size only. Keeping cable panels correct, increase 1 stitch at beginning of the next 2 rows and following 5th and 6th rows.
All sizes. (56 (60, 66, 68, 72) stitches.)
****Using Double Transfer tools, cross stitches 13 and 14 with stitches 15 and 16 (1 and 2 with stitches 3 and 4; 4 and 5 with stitches 6 and 7; 5 and 6 with stitches 7 and 8; 7 and 8 with stitches 9 and 10) and every following 11th and 12th stitches with the 13th and 14th stitches 3 (5, 5, 5, 5) times altogether. Knit 10 (6, 6, 10, 6) rows without shaping. Make cables over the same Needles as before. Knit 6 (10, 10, 6, 10) rows without shaping.**** The last 16 rows, from **** to ****, form 1 complete cable pattern which should be repeated throughout.
Keeping cable pattern correct and working increased stitches in cable pattern, increase 1 stitch at beginning of the next 2 rows and every following 4th and 5th (4th and 5th, 5th and 6th, 5th and 6th, 5th and 6th) rows 13 (15, 16, 19, 21) times altogether (82 (90, 98, 106, 114) stitches). Knit 12 (18, 10, 14, 18) rows without shaping (120 (136, 154, 170, 186) rows from beginning of ribbing). (Adjust length at this stage, if desired, by a number of rows divisible by 16.)
Shape raglan top. Follow instructions for Back from *** to ***. Making chains in spaces where Needles are in N.W.P., cast off remaining 4 (6, 8, 10, 12) stitches.

NECKBAND (2 pieces)
Cast on 77 (83, 91, 97, 105) stitches. Change to Tension 4 and knit 2 rows (1 row only for second piece). Increase 1 stitch at beginning of the next and every following alternate row 6 times altogether (83 (89, 97, 103, 111) stitches). Knit 1 row (2 rows for second piece only). Drop every alternate stitch and pick up as for ribbing. Cast off loosely in rib by hand.
Knit the second piece as for first piece but reverse the shaping by noting alterations in number of rows worked.

TO MAKE UP
Press each piece carefully with a hot iron over a damp cloth, omitting the ribbing. Join the raglan, side and sleeve seams; press. Join both pieces of neckband together and sew cast-off edge into position, with mitre at centre front. Give final pressing.

Man's Jacket

Continued from page 10

(93, 95, 99, 101, 105, 107) stitches). Knit 10 (19, 14, 9, 22, 18, 14) rows without shaping (144 (146, 148, 150, 152, 154, 156) rows from beginning of ribbing). (Adjust length at this stage, if desired.)

Shape top. Cast off 4 (5, 5, 5, 6, 6, 6) stitches at beginning of next 2 rows, 3 stitches at beginning of next 2 (2, 2, 2, 2, 4, 4) rows, 2 stitches at beginning of next 6 (6, 6, 6, 6, 4, 4) rows and decrease 1 stitch at beginning of next 22 (24, 24, 26, 26, 28, 28) rows. Cast off 2 stitches at beginning of next 8 (8, 8, 6, 6, 6, 6) rows, 3 stitches at beginning of next 2 (2, 2, 4, 4, 4, 4) rows and 4 stitches at beginning of next 2 rows. Cast off remaining 11 (11, 13, 13, 13, 13, 15) stitches.

COLLAR

Cast on 127 (131, 135, 139, 143, 147, 151) stitches. Change to Tension 7 and knit 40 rows. Drop every alternate stitch and pick up as for ribbing. Cast off.

TO MAKE UP

Press each piece carefully with a hot iron over a damp cloth, omitting the ribbing. Join the shoulder, side and sleeve seams; press. Set in sleeves; press. With right sides together, turn in 13 stitches along front edges and join narrow ends. Turn to right side (so that wrong sides are together) and catch down on the inside; press. Sew cast-off edge of collar into position, with side edges 6 stitches in from folded front edges. Finish buttonholes and sew on buttons to correspond; press.

Girl's Jumper Suit

Continued from page 13

SKIRT

TO KNIT

Using M, cast on 15 stitches at extreme left of Needle Bed on every Needle. Change to Tension 6 and knit 12 rows. Cast on 82 (97, 112, 127) stitches at beginning of next row (97 (112, 127, 142) stitches altogether). Knit 11 rows without shaping. *Push 87 (98, 115, 129) Needles opposite Cam Box end into H.P. Always taking wool round the first inside Needle in H.P., knit 2 rows. Push 7 (7, 8, 8) inside Needles opposite Cam Box end from H.P. back into W.P. on the next and every following alternate row 10 (11, 12, 14) times altogether; knit 1 row. Push 7 (7, 8, 8) Needles opposite Cam Box end into H.P. on the next and every following alternate row 10 (11, 12, 14) times altogether; knit 1 row. Push all Needles from H.P. back into W.P.** Knit 22 rows without shaping.* The last 64 (68, 72, 80) rows, from * to *, form 1 complete section. Knit 9 (10, 10, 11) more sections. Now repeat from * to ** once more. Knit 12 rows without shaping. Cast off.

TO MAKE UP

Pin out and press carefully with a hot iron over a damp cloth. Join the cast-on and cast-off edges, leaving 6 inches open at waist edge; press. Fold waistband in half and catch down on the inside; thread in elastic to fit waist and join ends. Work 1 row of double crochet along lower edge and zip opening; sew in zip. Sew on hooks and eyes as required. Give final pressing.

New Twinmatic Leaflets

obtainable from the Knitmaster Pattern Department, 18 Cavendish Square, London, W.1



752. 2 sets of underwear—one dainty, the other extra warm—in bust sizes 34″ to 44″.

753. A selection of items suitable for presents, bazaars, etc., to use up wool oddments.

First 2 sizes for Knitmasters with 168 Needles or more; remaining sizes for Knitmasters with 203 Needles only.

MATERIALS: 10 (12, 14, 16) oz. Marriners Tango Double Knitting wool in main colour; 1 oz. Marriners Tango Double Knitting wool in first contrasting colour; small amount Marriners Tango Double Knitting wool in second contrasting colour; stitch holder.

MEASUREMENTS: To fit a 28 (30, 32, 34) inch chest (actual garment measures 31 (33, 35, 37) inches); length at centre back without neckband or collar, 19 (20½, 22, 23½) inches (adjustable); sleeve seam, 13½ (14¾, 16, 17¼) inches (adjustable).

TENSION: 10 stitches and 15 rows to 2 inches, measured over stocking stitch on alternate Needles.

ABBREVIATIONS: W.P., Working Position; H.P., Holding Position; M, main colour; C1, first contrasting colour; C2, second contrasting colour.

NOTE: Figures in brackets refer to the larger sizes respectively.



KEY :—

- ☐ MAIN COLOUR
- ⊠ FIRST CONTRASTING COLOUR
- ⊡ SECOND CONTRASTING COLOUR

BACK

Using M, cast on 79 (83, 89, 95) stitches *on alternate Needles only*. Change to Tension 9 and knit 3 rows without shaping. **Join in C2 and knit 1 row in Fair Isle as follows:—1st stitch M, *next stitch C2, next stitch M*. Repeat from * to * to end of row. Change to C1, raise the outer Cam Knob and knit 1 row. Break off C1 and take Cam Box back to opposite end of Needle Bed. Lower the Cam Knob and knit 1 row in Fair Isle as follows:—1st stitch C2, *next stitch M, next stitch C2*. Repeat from * to * to end of row. Break off C2.** Using M only, knit 73 (81, 89, 97) rows without shaping. (Adjust length at this stage, if desired.) (Cam Box is at right.)

Shape square armholes. Cast off 10 (10, 11, 12) stitches at beginning of next 2 rows (59 (63, 67, 71) stitches remain). Knit 3 rows without shaping. Now work 3 rows in Fair Isle as given from ** to **. Knit 1 row in M only. Now work 11 rows in Fair Isle from Chart, starting on Stitch 7 (5, 3, 1) at right edge. Knit 1 row in M only. Now work 3 more rows in Fair Isle as given from ** to **.***

Using M only, knit 22 (24, 28, 32) rows without shaping. (Cam Box is at right.)

Shape shoulders. Always taking wool round the first inside Needle in H.P., push 4 (4, 4, 5) Needles opposite Cam Box end into H.P. on the next 8 rows. Push Needles opposite Cam Box end from H.P. back into W.P., knit 1 row. Push all Needles opposite Cam Box end from H.P. back into W.P. Mark stitches 16 (17, 19, 20) from both edges with different wool for neck edge. Cast off.

Welt. Push up 79 (83, 89, 95) adjacent Needles into W.P. With purl side facing, pick up 79 (83, 89, 95) loops along cast-on edge and place them on to the Needles. Change to Tension 8 and knit 14 rows. Drop every alternate stitch 13 rows down and pick up as for ribbing. Cast off loosely in rib by hand.

His Sporting Choice

features a brilliant band of simple Fair Isle

FRONT

Follow instructions for Back to ***.

Using M only, knit 14 (16, 18, 20) rows without shaping. (Cam Box is at right.)

Shape neck. Using an odd length of M, cast off 9 (11, 9, 9) stitches in centre and push 25 (26, 29, 31) Needles at left into H.P.

Knit the right part as follows:—Knit 1 row. Cast off 3 stitches at beginning of next row; knit 1 row. Cast off 2 stitches at beginning of the next and following alternate row; knit 1 row. Decrease 1 stitch at beginning of the next and every following alternate row 2 (2, 3, 4) times altogether; knit 1 row.

Shape shoulder. Always taking wool round the first inside Needle in H.P., push 4 (4, 4, 5) Needles opposite

Cam Box end into H.P. on the next and every following alternate row 3 times altogether; knit 1 row. Push all Needles opposite Cam Box end from H.P. back into W.P., knit 1 row. Cast off.
Knit the left part as for right part but reverse the shapings by starting with Cam Box at left.
Welt. Follow instructions for Back Welt.

SLEEVES (both alike)
Using M, cast on 39 (41, 43, 43) stitches *on alternate Needles only*. Change to Tension 9 and knit 3 rows. Now work 3 rows in Fair Isle as given for Back from ** to **. Knit 3 (3, 3, 1) rows without shaping. Increase 1 stitch at beginning of the next 2 rows and every following 8th and 9th (8th and 9th, 7th and 8th, 7th and 8th) rows 8 (9, 11, 13) times altogether (55 (59, 65, 69) stitches). Knit 12 (13, 13, 9) rows without shaping. Mark both edges with different wool. Knit 15 (15, 17, 19) more rows without shaping.
Shape top. Always taking wool round the first inside Needle in H.P. push 3 Needles opposite Cam Box end into H.P. on the next 14 (14, 16, 16) rows. Push Needles opposite Cam Box end from H.P. back into W.P., knit 1 row. Push all Needles opposite Cam Box end from H.P. back into W.P. Cast off.
Cuffs. Push up 39 (41, 43 43) adjacent Needles into W.P. With purl side facing, pick up 39 (41, 43, 43) loops along cast-on edge and place them on to the Needles. Change to Tension 8 and knit 20 rows. Drop every alternate stitch 19 rows down and pick up as for ribbing. Cast off loosely in rib by hand.

NECKBAND
Using M, cast on 123 (127, 131, 137) stitches on every Needle. Change to Tension 8 and knit 24 (26, 28, 30) rows. Drop every alternate stitch and pick up as for ribbing. Cast off.

TO MAKE UP
Press each piece carefully with a hot iron over a damp cloth, omitting the ribbing. Join the shoulder, side and sleeve seams to marked points; press. Set in sleeves with marked points at side seams; press. Join sides of neckband and sew cast-off edge into position; fold in half and catch down on the inside. Give final pressing.

"Take Yo

Round-neck, vee-neck

For Double Bed machines

ur Pick"

—both with fancy rib

For the Twinmatic Double Bed machine.

MATERIALS: Vee-neck cardigan: 10 (11, 12, 13, 13) oz. Sirdar Majestic 4-ply wool; 5 buttons.
Golfer cardigan: 10 (11, 12, 13, 14) oz. Sirdar Majestic 4-ply wool; 8 (8, 9, 9, 10) buttons.

MEASUREMENTS: To fit a 30 (32, 34, 36, 38) inch bust (actual garment measures 32 (34, 36, 38, 40) inches); length at centre back without neckband, $18\frac{3}{4}$ ($19\frac{3}{4}$, $20\frac{1}{2}$, $21\frac{1}{4}$, $22\frac{1}{4}$) inches; sleeve seam, 15 (16, 16, 17, 17) inches (adjustable).

TENSION: 8 stitches and 12 rows to 1 inch, measured over stocking stitch.

ABBREVIATIONS: W.P., Working Position; R.B., Rear Bed; F.B., Front Bed.

NOTES: Figures in brackets refer to the larger sizes respectively.
The decreasings at raglan and vee-neck shapings should be worked 3 stitches in by transferring the 4th stitch on to the 5th Needle and moving the 3 end stitches 1 Needle in.
Instructions for the Swiftomatic Double Bed machine. R.P. = Non-Working Position; Controls = Automatic Selectors; Racking Wheel = Racking Knob.
Tensions: Casting on of all pieces should be done at Tension 10. *Tension* 3 = *Tension* 9; *Tension* 5 (*circular knitting*) = *Tension* 7; *Tension* 6 (*stocking stitch*) = *Tension* 6.

BACK
Racking Wheel on 2.

Setting	R.B.	N.2.	.	1	1	.	1	1	.	1	1	.	1	1	.	1	1	.	1			
	F.B.	N.2.				1	.	1	1	.	1	1	.	1	1	.	1	1	.	1	1		

Cast on 85 (91, 97, 101, 107) stitches on each Bed in 2 × 2 rib (170 (182, 194, 202, 214) stitches altogether). Move Racking Wheel to 1 and reset Controls to R.3.
Knit 1 circular row. Set Row Counter at 0, reset Controls to N and knit 1 row.

		†	‡		†	‡		†	‡		†	‡										
R.B.	.	1	1	.	1	1	.	1	1	.	1	1	.	1								
F.B.		1	.	1	1	.	1	1	.	1	1	.	1	1								

Transfer stitches marked † on R.B. on to stitches marked ‡ on R.B. leaving empty Needles in W.P. and knit 2 rows. Repeat from * to * 4 more times. (Slide is at right.)
Push empty Needles on R.B. into W.P. (128 (137, 146, 152, 161) Needles on R.B. in W.P.). Transfer stitches from F.B. on to corresponding Needles on R.B. for stocking stitch. Remove F.B. Reset Control to N.6.
1st and 4th sizes only. Increase 1 stitch at beginning of next 2 rows.
2nd and 5th sizes only. Increase 1 stitch at right edge.
All sizes. (130 (138, 146, 154, 162) stitches.)
Knit without shaping until 138 (144, 150, 156, 162) rows show on Row Counter. (Slide is at left.)
Shape raglan armholes. Cast off 2 (3, 4, 5, 6) stitches at beginning of next 2 rows. Knit 1 row. Decrease 1 stitch (3 stitches in) at both ends of the next and every following alternate row until 40 (42, 44, 46, 48) stitches remain. Cast off.

RIGHT FRONT (vee-neck)
Set up machine as for Back.
Cast on 39 (43, 45, 47, 51) stitches on each Bed in 2 2 rib (78 (86, 90, 94, 102) stitches altogether). Move Racking Wheel to 1 and reset Controls to R.3. Knit 1 circular row. Set Row Counter at 0, reset Controls to N and knit 1 row.
Working in pattern as given for Back from * to *, knit 10 rows. (Slide is at right.) Push empty Needles on R.B. into W.P. (59 (65, 68, 71, 77) Needles on R.B. in W.P.). Transfer stitches from F.B. on to corresponding Needles on R.B. for stocking stitch. Remove F.B. Reset Controls to N.6.
1st and 4th sizes only. Increase 1 stitch at beginning of next 2 rows.
3rd size only. Increase 1 stitch at right edge.
All sizes. (61 (65, 69, 73, 77) stitches.)**
Knit without shaping until 120 (126, 132, 138, 144) rows show on Row Counter. (Knit 1 row extra for Left Front only.) (Slide is at left (right for Left Front).)
Shape front edge. Decrease 1 stitch (3 stitches in) at beginning of the next and every following 6th row 3 times altogether. Knit 4 rows without shaping.
Shape raglan armhole. Decreasing 1 stitch (3 stitches in) at beginning of the 2nd and every following 6th row 12 (13, 14, 15, 16) times altogether, *at the same time* cast off 2 (3, 4, 5, 6) stitches at beginning of next row; knit 2 rows. Decrease 1 stitch (3 stitches in) at raglan edge on the next and every following alternate row until 11 (10, 9, 8, 7) stitches remain.
Keeping front edge straight, continue to decrease at raglan edge as before until 1 stitch remains. Fasten off.

LEFT FRONT (vee-neck)
Follow instructions for Right Front (vee-neck) but reverse the shapings by noting alteration in number of rows worked.

RIGHT FRONT (golfer)
Follow instructions for Right Front (vee-neck) to **. Knit without shaping until 137 (143, 149, 155, 161) rows show on Row Counter. (Knit 1 row extra for Left Front only.) (Slide is at right (left on Left Front).)
Shape raglan armhole. Cast off 2 (3, 4, 5, 6) stitches at beginning of next row. Knit 2 rows. Decrease 1 stitch (3 stitches in) at raglan edge on the next and every following alternate row until 28 (29, 30, 31, 32) stitches remain. Knit 1 row. (Slide is at left (right on Left Front).)
Shape neck. Cast off 1 (2, 1, 2, 1) stitches at beginning

Continued on page 33

The Final

of glamour for a 'vain' little

For the Twinmatic Double Bed machine.

MATERIALS: Sleeveless Vest: 2 (3, 3, 4) oz. Marriners Heritage 2-ply wool; crochet hook.
Vest with sleeves: 3 (4, 4, 5) oz. Marriners Heritage 2-ply wool.
Pants: 2 oz. Marriners Heritage 2-ply wool; length of narrow elastic.

MEASUREMENTS: Sleeveless Vest: To fit a 20 (22, 24, 26) inch chest; completed length from top of shoulder, 13 (14½, 15½, 17) inches.
Vest with sleeves: To fit a 20 (22, 24, 26) inch chest; length at centre back without neckband, 13¾ (15¼, 16¼, 17¾) inches.
Pants: To fit 20 (22, 24, 26) inch hips (actual garment measures 22 (24, 26, 28) inches); length to crutch measured over front, 7¾ (9, 10, 11¼) inches.

TENSION: 9 stitches (on R.B. only) and 14 rows to 1 inch, measured over pattern.

ABBREVIATIONS: W.P., Working Position; R.P., Rest Position; H.P., Holding Position; U.W.P., Upper Working Position; R.B., Rear Bed; F.B., Front Bed.

NOTES: Figures in brackets refer to the larger sizes respectively.
When decreasing, increasing, casting off, casting on or pushing Needles into H.P., the instructions are given for R.B. only, the F.B. stitches being decreased, increased, cast-off, cast-on or pushed into H.P. automatically as they occur (do not have end Needles on F.B. when working in pattern).
The sleeveless vest is knitted in one piece starting at the lower front edge.
Instructions for the Swiftomatic Double Bed machine: R.P.=Non-Working Position; U.W.P.=Semi-Automatic Return Position; Racking Wheel=Racking Knob; Controls=Automatic Selectors; Controls on F=Automatic Selector on DF.
Tensions: Casting on of all pieces should be done at Tension 11. *Tension* 3=*Tension* 9; *Tension* 5 (*circular knitting*)=*Tension* 6½; *Tension* 1=*Tension* 11.

SLEEVELESS VEST

TO KNIT

R.W. on ½. Setting $\frac{\text{R.B. N.1.}}{\text{F.B. N.1.}}$. 1 . 1 . 1 . 1
1 . 1 . 1 . 1 .
Cast on 46 (50, 55, 59) stitches on each Bed in every other Needle rib (92 (100, 110, 118) stitches altogether). Knit 1 circular row. Reset Controls to $\overline{3}$. Knit 4 circular rows. Set Row Counter at 0 and reset Controls to N. Push empty Needles on R.B. into W.P. and transfer stitches from F.B. onto them. Push empty Needles on F.B. down into R.P. Move Racking Wheel to 1 and reset Controls to $\overline{\text{N.4.}}$. Arrange F.B. Needles for pattern as follows:—

End of 1st and 2nd sizes. End of 1st and 2nd sizes.

R.B.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
F.B.		1				1				1				1		

End of 3rd and 4th sizes. End of 3rd and 4th sizes.
Knit 1 row. *Move Front Control to F, knit 2 rows. Move Front Control to N, knit 2 rows.* Repeat the last 4 rows, from * to *, until 119 (135, 147, 163) rows show on Row Counter. (Slide is at right.)***

Shape armholes. Keeping pattern correct, cast off 2 stitches on R.B. at beginning of next 2 rows and decrease 1 stitch on R.B. at beginning of next 18 (22, 26, 30) rows (70 (74, 80, 84) stitches remain on R.B.). Knit 8 rows without shaping.
Shape neck. Using an odd length of wool, cast off 34 (38, 44, 48) stitches on R.B. in centre and push 18 Needles on R.B. at left into H.P.
Knit the right part as follows:—**Keeping pattern correct, knit 56 rows without shaping**.
Break off wool and push the 18 Needles on R.B. at right into H.P. With Slide at right and all Latches open, push Needles from H.P. down into U.W.P. and knit the left part as for right part from ** to **.
Break off wool and push the 18 Needles on R.B. at left into H.P. With Slide at right, cast on 34 (38, 44, 48) stitches on each Bed in every Needle rib on empty Needles in centre. Knit 1 circular row. Reset Controls to N. Arrange stitches in centre for pattern. Break off wool. (Slide is at left.) Reset Controls to 0. Take Slide to right, reset Controls to $\overline{\text{N.4.}}$ and rethread wool.
With all Latches open, push all Needles at both edges from H.P. down into U.W.P. Keeping pattern correct, knit 22 rows without shaping.
Shape armholes. Keeping pattern correct, increase 1 stitch on R.B. at beginning of next 18 (22, 26, 30) rows and cast on 2 stitches on R.B. at beginning of next 2 rows (92 (100, 110, 118) stitches on R.B.). Knit 119 (135, 147, 163) rows without shaping. (Slide is at left.) Move Racking Wheel to ½. Reset Controls to $\overline{\text{R.3.}}$ Arrange Needles for every other Needle rib. Knit 5 circular rows. Cast off stitches on both Beds together.

NECKBAND (2 pieces alike)

R.W. on 1. Setting $\frac{\text{R.B. N.1.}}{\text{F.B. N.1.}}$ 1 1 1 1 1 1
1 1 1 1 1 1
Cast on 30 (32, 34, 36) stitches on each Bed in every Needle rib (60 (64, 68, 72) stitches altogether). Knit 1 circular row. Reset Controls to $\overline{5}$. Knit 4 circular rows. Cast off both R.B. and F.B. stitches together.

TO MAKE UP

Press with a hot iron over a damp cloth, omitting the ribbing. Join the side seams. Sew cast-off edge of neckbands to front and back neck opening as shown. Work 2 rows of double crochet round armhole edges

Continued on page 32

Touch

lady

For Double Bed machines

WORLD-WIDE ACCLAIM FOR...
LAKEVIEW
PURE WOOLS

All over the world, knitters are choosing from our exciting colour range. All surplus ounces can be returned for credit. Write today for details to Bridgend Mills, Haley Hill, Halifax.

DOUBLE KNITTING
1 - Per Ounce
3 & 4 PLY FINGERING
1/3 Per Ounce
D K FLECK and D K CREPE
1/4 Per Ounce
BIG TOP DOUBLE QUICK KNITTING 2 8 Per 2 Ounce Hank
3 PLY BABY WOOL
1/3 Per Oz. Ball
BABY QUICKER KNIT
1/3 per Oz. Ball

NO WONDER
just look at these prices!

Fill in and post this coupon Today!

I enclose 3d postage stamp for FREE shade card and particulars of LAKE-VIEW knitting wools.

NAME _____

ADDRESS _____

TO: BRIDGEND MILLS (Dept 110) HALEY HILL, HALIFAX

10D
OZ.



BY POST—
FROM MILL

CHUNKY ALL WOOL
QUICK KNITTING
WOOL
in 2 oz. hanks

DOUBLE KNITTING WOOL
10d. per oz. in one oz. balls.
Also FLECK WOOL at 11d. per oz. 1 oz. balls.

SEND FOR SHADE CARD FREE

SUPER NYLON DOUBLE KNITTING 100% Bri-Nylon 1/6d. per oz. in 1 oz. hanks.

4-PLY SUPER FINGERING 1/2d. per oz. in 1 oz. hanks suitable for knitting machines.

3-PLY at 1/1 per oz. on cone for Machine Knitters.

CHUNKY TWEEDS 11d. per oz.

Refund Guaranteed if not delighted

WRITE FOR Booklet illustrating patterns 1/- each

AGENTS required. Substantial commission rates. No complicated paper work

B.K. (WOOLS) LTD., Dept. MK 1, Box 25, High Street Mills, Heckmondwike, Yorkshire

Lady's Cardigans (*Continued from page 33*)

(24 stitches altogether). Knit 1 circular row. Set Row Counter at 0 and reset Controls to $\frac{R.5.}{R.5.}$. Knit 215 (225, 235, 245, 255) circular rows (430 (450, 470, 490, 510) rows show on Row Counter). Cast off both R.B. and F.B. stitches together.

NECKBAND (golfer)
Set up machine as for Back.
Cast on 57 (59, 61, 63, 65) stitches on each Bed in 2 2 rib (114 (118, 122, 126, 130) stitches altogether). Move Racking Wheel to 1 and reset Controls to $\frac{R.3.}{R.3.}$. Knit 1 circular row. Set Row Counter at 0, reset Controls to N and knit 1 row.
Working in pattern as given for Back from * to *, knit 12 rows. (Slide is at right.) Knit 15 rows in 2 2 rib but without transferring stitches on R.B. Cast off loosely.

TO MAKE UP
Press each piece carefully with a hot iron over a damp cloth, omitting the ribbing. Join the raglan, side and sleeve seams; press.
Vee-neck cardigan. Sew front border into position with buttonholes on the right front. Finish buttonholes and sew on buttons to correspond. Give final pressing.
Golfer cardigan. Sew cast-on edge of neckband into position, fold in half and catch down on the inside. Sew front borders into position with buttonholes on the right front. Finish buttonholes and sew on buttons to correspond. Give final pressing.

WOOL MANUFACTURERS

Robin Wools:
Messrs. Robert Glew & Co. Ltd., Robin House, Harehills Lane, Leeds 8, Yorks.

Poppletons Wools:
Messrs. Richard Poppleton & Sons Ltd., Albert Mills, Horbury, Yorkshire.

Listers Wools:
Knitting Wools Division, Messrs. Lister & Co. Ltd., Manningham Mills, Bradford 9, Yorkshire.

Bairns-Wear Wools:
Messrs. Bairns-Wear Ltd., P.O. Box 58, Perry Road, Nottingham, Notts.

Paton & Baldwins Wools:
Messrs. Paton & Baldwins Ltd., Great West Road, Brentford, Middlesex.

Emu Wools:
Messrs. Emu Wools Ltd., 13/14 Woodstock Street, London, W.1.

Sirdar Wools:
Miss J. M. Harrap, Messrs. Harrap Bros. Ltd., Box 31, Bective Mills, Alverthorpe, Wakefield, Yorks.

Marriners Wools:
Messrs. R. V. Marriner Ltd., Dept. B, Greengate Mills, Keighley, Yorkshire.

MODERN KNITTING is printed in England by G. F. Tomkin Ltd., 501-9 Grove Green Road, London, E.11, and published on the last Friday of every month for the Proprietors, Knitmaster Ltd., 18 Cavendish Square, London, W.1. Phone LANgham 9796. Subscription Rate, £1 5s. for 12 monthly issues or 12/6d. for 6 issues, post paid. For overseas territory apply local agents. MODERN KNITTING must not be retailed below the following prices: U.K., N. Ireland and Eire, 1/9d., Australia, 3/6d., New Zealand, 2/9d., South Africa, 27½ cents, U.S.A. and Canada, 50 cents. © 1963 *Knitmaster Limited.*

and along the side edges of neck opening. Turn up circular knitting at lower edge and catch down on the wrong side. Give final pressing.

VEST WITH SLEEVES

BACK

Follow instructions for Sleeveless Vest to ***.

Shape armholes. Keeping pattern correct, cast off 3 stitches on R.B. at beginning of next 2 rows, 2 stitches on R.B. at beginning of next 2 (2, 4, 4) rows and decrease 1 stitch on R.B. at beginning of next 6 (8, 6, 8) rows (76 (82, 90, 96) stitches remain on R.B.).**** Knit 50 (52, 54, 56) rows without shaping (179 (199, 213, 233) rows show on Row Counter).

Shape shoulders. Keeping pattern correct and always taking wool round the first inside Needle in H.P., push 3 (3, 4, 4) Needles on R.B. at opposite end to Slide into H.P. on next 10 rows. Mark stitches 18 (20, 23, 25) on R.B. from both edges with different wool for neck edge. With all Latches open, push Needles at opposite end to Slide from H.P. down into U.W.P. on next 2 rows. Cast off.

FRONT

Follow instructions for Back to ****.

Knit 22 (24, 28, 30) rows without shaping (151 (171, 187, 207) rows show on Row Counter).

Shape neck. Using an odd length of wool, cast off 24 (26, 28, 30) stitches on R.B. in centre and push 26 (28, 31, 33) Needles on R.B. at left into H.P.

Knit the right part as follows:—(Decreasings at neck edge should be worked 2 stitches in on R.B. by transferring the 3rd stitch on to the 4th Needle and moving the 2 end stitches 1 Needle in.) Keeping pattern correct, decrease 1 stitch on R.B. at neck edge on the next and every following alternate row 8 times altogether (18 (20, 23, 25) stitches remain on R.B.).

Knit 14 (14, 12, 12) rows without shaping.

Shape shoulders. Keeping pattern correct and always taking wool round the first inside Needle in H.P., push 3 (3, 4, 4) Needles on R.B. at opposite end to Slide into H.P. on the next and every following alternate row 5 times altogether; knit 1 row. With all Latches open, push Needles from H.P. down into U.W.P. Knit 1 row. Cast off.

With Slide at left and all Latches open, push Needles from H.P. down into U.W.P. Now knit the left part as for right part but reverse the shapings.

SLEEVES (both alike)

Set up machine as for main part of Sleeveless Vest.

Cast on 27 (29, 31, 33) stitches on each Bed in every other Needle rib (54 (58, 62, 66) stitches altogether). Knit 1 circular row. Reset Controls to $\overline{3}$. Knit 4 circular rows. Set Row Counter at 0 and reset Controls to N. Push empty Needles on R.B. into W.P. and transfer stitches from F.B. on to them. Push empty Needles on F.B. down into R.P. Move Racking Wheel to 1 and reset Controls to $\overline{\text{N.4.}}$. Arrange F.B. Needles for pattern as follows:—

R.B. 1 1 1 1 1 1 1 1 1 1 1
F.B. 1 . . . 1 . . . 1

Knit 1 row. Working in pattern as given for Sleeveless Vest from * to *, increase 1 stitch on R.B. at beginning of next 18 rows (72 (76, 80, 84) stitches on R.B.). Knit 10 rows without shaping (29 rows show on Row Counter). (Slide is at right.)

Shape top. Keeping pattern correct and always taking wool round the first inside Needle in H.P., push 2 Needles on R.B. at opposite end to Slide into H.P. on next 8 (10, 12, 14) rows.

Push 2 Needles on R.B. at opposite end to Slide into H.P. on next 2 rows and push 1 Needle at opposite end to Slide into H.P. on next 2 rows. Repeat from ** to ** 6 more times. Push 2 Needles on R.B. at opposite end to Slide into H.P. on next 2 rows (12 Needles remain in W.P. on R.B.). With all Latches open, push Needles at opposite end to Slide from H.P. down into U.W.P. on next 2 rows. Cast off loosely.

NECKBAND

Set up machine as for Neckband of Sleeveless Vest.

Cast on 5 stitches on each Bed in every Needle rib (10 stitches altogether). Knit 1 circular row. Transfer centre stitch on F.B. on to its adjacent Needle on R.B. Push empty Needle down into R.P. Reset Controls to N. Knit a longer length than required and release it from the machine.

TO MAKE UP

Press with a hot iron over a damp cloth, omitting the ribbing. Join the shoulder, side and sleeve seams; press. Set in sleeves; press. Sew one edge of neckband into position as shown and join ends; fold in half and catch down on the inside. Give final pressing.

PANTS

BACK

Set up machine as for main part of Sleeveless Vest.

Cast on 50 (55, 59, 64) stitches on each Bed in every other Needle rib (100 (110, 118, 128) stitches altogether). Knit 1 circular row. Set Row Counter at 0, reset Controls to N and knit 10 rows. (Slide is at left.) Reset Controls to $\overline{\text{N.3.}}$. Push empty Needles on R.B. into W.P. and transfer stitches from F.B. on to them. Push empty Needles on F.B. down into R.P. Move Racking Wheel to 1 and reset Controls to $\overline{\text{N.4.}}$. Arrange F.B. Needles for pattern as follows:—

End of 1st and 4th sizes. End of 1st and 4th sizes.

R.B. 1 1 1 1 1 1 1 1 1 1 1 1 1
F.B. . 1 . . . 1 . . . 1 .

End of 2nd and 3rd sizes. End of 2nd and 3rd sizes.

Knit 1 row. Working in pattern as given for Sleeveless Vest from * to *, knit without shaping until 71 (85, 99, 113) rows show on Row Counter. (Slide is at right.)**

Shape leg openings. Keeping pattern correct and always taking wool round the first inside Needle in H.P., push 4 Needles on R.B. at opposite end to Slide into H.P. on next 8 (10, 12, 14) rows and push 2 Needles on R.B. at opposite end to Slide into H.P. on next 22 rows (24 (26, 26, 28) Needles remain in W.P. on R.B.). Mark stitches 39 (43, 47, 51) on R.B. from both edges with different wool. With all Latches open, push Needles at opposite end to Slide from H.P. down into U.W.P. on next 2 rows. Cast off.

FAMILY PLANNING

Write for our free *booklet* sent in a plain sealed envelope with discount price list and details of our Confidential Postal Service for all Family Planning requisites.

PREMIER LABORATORIES LTD.

325 BLACK LION STREET, BRIGHTON

FRONT
Follow instructions for Back to **.
Shape leg openings. Keeping pattern correct and always taking wool round the first inside Needle in H.P., push 6 Needles on R.B. at opposite end to Slide into H.P. on next 10 rows and push 4 Needles on R.B. at opposite end to Slide into H.P. on next 4 (6, 8, 10) rows (24 (26, 26, 28) Needles remain in W.P. on R.B.). Mark stitches 39 (43, 47, 51) on R.B. from both edges with different wool. With all Latches open, push Needles at opposite end to Slide from H.P. down into U.W.P. on next 2 rows. Cast off.

GUSSET
Set up machine as for Neckband of Sleeveless Vest.
Cast on 18 (20, 22, 24) stitches on each Bed in every Needle rib (36 (40, 44, 48) stitches altogether). Knit 1 circular row. Set Row Counter at 0 and reset Controls to $\overline{5.}$ Knit 38 circular rows (76 rows show on Row Counter). Cast off both R.B. and F.B. stitches together.

LEG BORDERS (both alike)
Set up machine as for main part of Sleeveless Vest.
Cast on 54 (58, 62, 66) stitches on each Bed in every other Needle rib (108 (116, 124, 132) stitches altogether). Knit 1 circular row. Set Row Counter at 0, reset Controls to N and knit 10 rows. Cast off.

TO MAKE UP
Press each piece carefully with a hot iron over a damp cloth, omitting the ribbing. Sew cast-on and cast-off edges of gusset to front and back between marked points on the right side. Join the side seams. Sew leg borders into position, fold in half and catch down on the inside. Turn in 5 rows along top edge and catch down on the inside. Thread elastic into hems. Give final pressing.

Lady's Cardigans *(Continued from page 29)*

(neck edge) and decrease 1 stitch (3 stitches in) at raglan edge on the next row; knit 1 row.
Decrease 1 stitch at beginning (neck edge) and decrease 1 stitch (3 stitches in) at raglan edge on the next row. Decrease 1 stitch at neck edge on the next row. Repeat the last 2 rows, from *** to ***, 6 (6, 7, 7, 8) more times.
Keeping neck edge straight, continue to decrease at raglan edge as before until 1 stitch remains. Fasten off.

KNITTING WOOLS

Made in our own mills!

Prompt Postal Service

"Dapple" Double Knitting	1/- oz.
3 and 4 ply Fingering Wool	1/- oz.
Double Knitting Wool	11d. oz.
3 ply and D.K. Nylon	1/6 oz.
Quick to Knit Wool	1/3 oz.
D.K. Fancy Fleck	1/3 oz.
2 ply Baby Wool	1/2 oz.

Send 2½d. Stamp to Shadecard Department 64/5
BELMONT KNITTING WOOLS LTD.
Belmont Mills, Burnett Street, Bradford, 1, Yorks.

LEFT FRONT (golfer)
Follow instructions for Right Front (golfer) but reverse the shapings by noting alteration in number of rows worked.

SLEEVES (both alike)
Set up machine as for Back.
Cast on 37 (41, 43, 45, 49) stitches on each Bed in 2 × 2 rib (74 (82, 86, 90, 98) stitches altogether). Move Racking Wheel to 1 and reset Controls to $\overline{R.3.}$ Knit 1 circular row. Set Row Counter at 0, reset Controls to N and knit 1 row.
Working in pattern as given for Back from * to *, knit 24 rows. (Slide is at right.) Push empty Needles on R.B. into W.P. (56 (62, 65, 68, 74) Needles on R.B. in W.P.). Transfer stitches from F.B. on to corresponding Needles on R.B. for stocking stitch. Remove F.B. Reset Control to N.6.
1st and 4th sizes only. Increase 1 stitch at beginning of next 2 rows.
3rd size only. Increase 1 stitch at right edge.
All sizes. (58 (62, 66, 70, 74) stitches.) Knit 28 (30, 30, 28, 30) rows without shaping. Increase 1 stitch at beginning of the next 2 rows and every following 5th and 6th rows 19 (20, 21, 22, 23) times altogether (96 (102, 108, 114, 120) stitches). Knit 16 (22, 16, 22, 16) rows without shaping (181 (193, 193, 205, 205) rows show on Row Counter). (Adjust length at this stage, if desired.) (Slide is at right.)
Shape raglan top. Cast off 2 (3, 4, 5, 6) stitches at beginning of next 2 rows. Knit 1 row. Decrease 1 stitch (3 stitches in) at both ends of the next and every following alternate row until 6 stitches remain. Cast off.

FRONT BORDER (vee-neck)
Racking Wheel on 1.
Setting $\overline{R.B.}$ $\overline{N.3.}$ 1 1 1 1 1 1
$\overline{F.B.}$ $\overline{N.3.}$ 1 1 1 1 1 1
Cast on 12 stitches on each Bed and in every Needle rib (24 stitches altogether). Knit 1 circular row. Set Row Counter at 0 and reset Controls to $\overline{R.5.}$ Knit 4 (6, 4, 6, 4) circular rows. *Make a buttonhole over centre 4 Needles on each Bed. Knit 29 (30, 32, 33, 35) circular rows.* Repeat from * to * 3 more times. Make another buttonhole over the same Needles as before. Now knit until border is long enough to go along both front edges, across tops of sleeves and across back of neck. Cast off both R.B. and F.B. stitches together.

FRONT BORDERS (golfer)
Buttonhole border.
Set up machine as for Front Border (vee-neck).
Cast on 12 stitches on each Bed in every Needle rib (24 stitches altogether). Knit 1 circular row. Set Row Counter at 0 and reset Controls to $\overline{R.5.}$ Knit 5 (6, 4, 6, 4) circular rows. *Make a buttonhole over centre 4 Needles on each Bed. Knit 29 (30, 28, 29, 27) circular rows.* Repeat from * to * 6 (6, 7, 7, 8) more times. Make another buttonhole over the same Needles as before. Knit 7 (9, 7, 7, 8) circular rows (430 (450, 470, 490, 510) rows show on Row Counter). Cast off both R.B. and F.B. stitches together.
Button border.
Set up machine as for Front Border (vee-neck).
Cast on 12 stitches on each Bed in every Needle rib.

Continued on page 34

Where you can see and buy

THE FABULOUS NEW KNITMASTER TWINMATIC

Eve Willson,
161 Bowes Road,
London, N.11.
(*Telephone:* Bowes Park 7091)

Chayes Home Knitting Centre,
Moorfields,
Shalesmoor, Sheffield, 3.
(*Telephone:* Sheffield 25396)

Knitting Machine Centre (Birmingham),
11 Moat Row,
Birmingham, 5.
(*Telephone:* Midland 7624)

Letsalknit Ltd.,
Romford Knitting Centre,
138 North Street, Romford, Essex.
(*Telephone:* Romford 63022)

Ipswich Knitting Centre,
17 Queens Street,
Ipswich, Suffolk.
(*Telephone:* Ipswich 53330)

Chelmsford Knitting Centre,
Friars House,
London Road,
Chelmsford, Essex.
(*Telephone:* Chelmsford 57054)

Sherwood Sewing Machines (N.I.) Ltd.,
135 Royal Avenue,
Belfast, 1.
(*Telephone:* Belfast 30441)
and
2A Pakenham Street,
Belfast, 7.
(*Telephone:* Belfast 21885/6)

Service Sewing Machines,
47 White Street,
Coventry.
(*Telephone:* Coventry 28801)

D. E. Nightingale,
Room 9,
Fieldsend Chambers,
Low Pavement, Chesterfield.
Derbys.
(*Telephone:* Chesterfield 75572)

Roseland Sewing Machine Co.,
9 Pydar Street Market,
Truro, Cornwall.
(*Telephone:* Truro 4644)

Tysons Sewing Machines Ltd.,
106 Staines Road,
Hounslow, Middlesex.
(*Telephone:* Hounslow 6790)

303 High Road,
Chiswick, W.4.
(*Telephone:* Chiswick 9074)

4 High Street,
Southall, Middlesex.
(*Telephone:* Southall 1587)

149 Uxbridge Road,
West Ealing, W.13.
(*Telephone:* Ealing 2320)

57 Eden Street,
Kingston-on-Thames.
(*Telephone:* Kingston 8029)

Ainsworth Sons & Co.,
47a Newbold Road,
Chesterfield.
(*Telephone:* Chesterfield 75199)

Marvic Machine Co. (Sales & Service),
59 Union Street,
Bristol 1.
(*Telephone:* Bristol 22291)

S. G. Fox (Sewing Machines) Ltd.,
4 Broad Street,
Nottingham.
(*Telephone:* Nottingham 46974)

60 Babington Lane,
Derby.
(*Telephone:* Derby 47941)

3 Middlegate,
Newark.
(*Telephone:* Newark 4622)

Knitting Machine Centre,
54 London Street,
Reading.
(*Telephone:* Reading 55610)

Bradford Knitting Centre,
36 Church Bank,
Bradford.
(*Telephone:* Bradford 21858)

Also available at all Co-operative Society Stores throughout the British Isles.

In most cases Home Demonstrations gladly arranged

ON THE MARK!

NOW YOU HAVE GRADUATED!

YOU NEED THE LATEST, THE BEST AND THE FASTEST, 1 KNOB CONTROL

TWINMATIC

by **Knitmaster**

THE COMPANY YOU CAN ALWAYS TRUST

With this latest double bed machine you can fashion all the knitting needs of the whole family—***and knit for profit too.*** A single knob control gives simple operation in swift, easy movements.

The Twinmatic is an all-metal unit by KNITMASTER—the symbol of superiority.

OVER A MILLION SATISFIED CUSTOMERS

and remember

★ Monthly Magazine and Large Range of Individual Patterns.

★ Hire Purchase Available, Best of Easy Terms.

★ After Sales Service Guarantee.

★ **FREE TUITION.**

WORKS WONDERS IN WOOL!

A Symphony in "Double knit"...
one of the countless designs which can only be produced on a machine of this calibre.
This garment was knitted so inexpensively—yet so quickly on the wonderful **TWINMATIC.**

POST NOW

To Knitmaster Ltd., 18 CAVENDISH SQUARE, LONDON, W.1. Telephone: MUSeum 1418 (10 lines)

Please post FREE colour brochure giving full details of all Knitmaster Knitting Machines

Name .....

Address MK.3

KNITMASTER—*THE NAME YOU CAN ALWAYS TRUST*